


# Appendix I      Peak Traffic Volume Diagrams

---

This appendix reproduces the Freeway Peak Hour Volume and Lane Configuration diagrams from the *Traffic Analysis Report for the Interstate 680/State Route 4 Interchange Improvement Project* (Fehr and Peers 2004), showing the morning and evening peak hour volumes by directional movement. Existing and future conditions are shown. The following diagrams are included:

- Existing Conditions (Figures 2A and B)
- 2030 No Project Conditions (Figures 5A and B)
- 2030 Full Project Conditions (all five phases) (Figures 7A and B)
- 2030 Phases 1 and 2 Conditions (Figures 9A and B)
- 2030 No Slip Ramps (Figures 13A and B)





I-680/SR4 Interchange

**fp**  
**FEHR & PEERS**  
TRANSPORTATION CONSULTANTS


June 2004  
1814-01a 1-04

**EXISTING CONDITIONS**  
**FREEWAY PEAK HOUR VOLUMES AND LANE CONFIGURATIONS**  
**FIGURE 2A**




































I-680/SR4 Interchange

**2030 PHASES 1 AND 2 CONDITIONS**  
**FREEWAY PEAK HOUR DEMAND VOLUMES AND LANE CONFIGURATIONS**  
**FIGURE 9B**



